

IV INTERNATIONAL SCIENTIFIC CONFERENCE



**CONSERVING
SOILS AND WATER
2019**

PROCEEDINGS

ISSN 2535-0234 (Print)
ISSN 2535-0242 (Online)



**SCIENTIFIC TECHNICAL UNION
OF MECHANICAL ENGINEERING
“INDUSTRY 4.0”**

SCIENTIFIC TECHNICAL UNION OF MECHANICAL ENGINEERING
“INDUSTRY 4.0”

YEAR III

ISSUE 1 (3)

AUGUST 2019

ISSN (PRINT) 2535-0234
ISSN (ONLINE) 2535-0242

INTERNATIONAL SCIENTIFIC CONFERENCE
CONSERVING SOILS AND WATER

28.-31.08.2019, BURGAS, BULGARIA

PROCEEDINGS

ORGANIZERS:



SCIENTIFIC TECHNICAL UNION OF MECHANICAL ENGINEERING „INDUSTRI-4.0”



ROUSSE UNIVERSITY - ANGEL KANCHEV – ROUSSE

BULGARIAN ASSOCIATION OF AGRICULTURAL MECHANIZATION

INTERNATIONAL EDITORIAL BOARD

CHAIRMAN:

Corresp. Memb. Prof. DSc. Hristo Beloev

"Angel Kanchev" University of Ruse

BG

MEMBERS:

Prof. Alar Astover

Estonian Agricultural University

EE

Prof. Ali Ihsan Acar

Ankara University

TR

Prof. Anupam Kumar Nema

Banaras Hindu University

IN

Prof. Ardian Maci

Agricultural University of Tirana

AL

Prof. Bernd Linke

Leibniz Institute for Agricultural Engineering

DE

Prof. Berndhart Freyer

University of Natural Resources and Life Sciences

AT

Prof. Branko Kramberger

University of Maribor

SI

Prof. Costica Ciontu

University of ASVM of Bucharest

RO

Prof. Daisuke Higaki

Hirosaki University

JP

Prof. Dan Cogalniceanu

University Ovidius of Constanca

RO

Prof. Davor Romic

University of Zagreb

HR

Prof. Domenico Pessina

University of Milano

IT

Prof. Eduard Hoffman

Stellenbosch University

ZA

Prof. Edward Palys

Lublin University of Life Sciences

PL

Prof. Erbol Sarkynov

Kazakh National Agrarian University

KZ

Prof. Francis Douay

Institute in Agriculture ISA Lille

FR

Prof. Fuad Sezgin	Adnan Menderes University	TR
Prof. Garey Fox	Oklahoma State University	USA
Prof. Haiyan Huang	Yunan Agricultural University	CN
Prof. Hoang Thai Dai	Hanoi University of Agriculture	VN
Prof. Iliana Velcheva	Plovdiv University "Paisii Hilendarski"	BG
Prof. Ilmo Massa	University of Helsinki	FI
Prof. Ilshat Gaisin	Kazan State Agricultural University	RU
Prof. Ion Bacean	State Agrarian University of Moldova	MD
Prof. Istvan Komlosi	University of Debrecen	HU
Prof. Jan Marecek	Mendel University in Brno	CZ
Prof. Javed Akhtar	University of Agriculture Faisalabad	PK
Prof. John Havlin	North Carolina State University	USA
Prof. Josif Mitrikeski	Ss. Cyril and Methodius University in Skopje	NM
Prof. Jutta Zeitz	Humboldt University of Berlin	DE
Prof. Kazem Hashemi Majd	Mohaghegh Ardabili University	IR
Prof. Keith Cameron	Lincoln University	NZ
Prof. Kim Sang Hun	Kangwon National University	KR
Prof. Komil Muminov	Samarkand Agricultural Institute	UZ
Prof. Ladislav Nozdrovicky	Slovak University of Agriculture in Nitra	SK
Prof. Leszek Mieszkalski	Warsaw University of Life Sciences	PL
Prof. Mahmoud Mohamed Shendi	Fayoum University	EG
Prof. Manana Kevlishvili	Taveli State University	GE
Prof. Margarita Nankova	Dobroudja Agricultural Institute	BG
Prof. Mariana Doncheva-Boneva	University of Forestry	BG
Prof. Mark Tibbett	University of Reading	UK
Prof. Marouane Temimi	Masdar University of Science and Technology	AE
Prof. Meruzhan Galstyan	Armenian National Agrarian University	AM
Prof. Michajlo Markovic	University of Bahja Luka	BA
Prof. Miho Mihov	Institute of Soil Science and Agroecology	BG
Prof. Mikola Dolya	National University of Bioresources	UA
Prof. Mohd Gufran	Chandra Sheker Azad University	IN
Prof. Nick Reid	University of New England	UA
Prof. Papamichail Dimitris	Aristotle University of Thessaloniki	GR
Prof. Paulo Leonel Libardi	University of Sao Paulo	BR
Prof. Petar Dimitrov	"Angel Kanchev" University of Ruse	BG
Prof. Raushan Ramazanova	S.Seifulin Kazakh Agro Technical University	KZ
Prof. Roumiana Metcheva	Institute of Biodiversity and Ecosystem Research	BG
Prof. Sergey Harchenko	National Technical University of Agriculture	UA
Prof. Sergey Melnikov	Saint-Peterburg Agrarian University	RU
Prof. Svetla Kostadinova	Agricultural University, Plovdiv	BG
Prof. Svetla Ruseva	Institute of Soil Science and Agroecology	BG
Prof. Tamara Persikova	Belarusian State Agricultural Academy	BY
Prof. Vaclovas Boguzas	Aleksandras Stulginskis University	LT
Prof. Valentin Bogoev	Sofia University "St. Kliment Ohridski"	BG
Prof. Vladimir Loboyko	Volgograd State Agricultural University	RU
Prof. Vladislav Popov	Agricultural University, Plovdiv	BG
Prof. Yona Chen	Hebrew University of Jerusalem	IL
Prof. Zbigniew Blaszkiewicz	Poznan University of Life Sciences	PL
Prof. Zinta Gaile	Latvian University of Agriculture	LV
Prof. Zivko Davcev	Ss. Cyril and Methodius University in Skopje	NM

CONTENTS

SOIL & WATER.

BIOGEOCHEMISTRY OF LIGNIN IN SOILS OF MOUNTAINOUS LANDSCAPES

Prof. Dr. Biol. Kovaleva N., Dr. Agricult. Kovalev I. 5

SOIL MOISTURE AND SOIL DENSITY VARIATION DURING PLANT GROWING SEASON BY IMPLEMENTATION OF MINERAL AND ORGANIC FERTILIZATION

Prof. Dr Eng. Blaszkiewicz Z., Dr Eng. Sztukowski P. 9

THE INFLUENCE OF BIOORGANIC PREPARATIONS ON PLANT PRODUCTIVITY AND SOIL QUALITY

Dr. Brazienė Z., Dr. Paltanavičius V., Dr. Aleknavičienė A. 12

GEOINFORMATION MAPPING FOR PROVIDING THE RATIONAL USE AND PROTECTION OF SOIL

PhD Moskalenko A. 16

THE INCREASE IN THE YIELD OF VEGETABLES IN GREENHOUSES USING SUPERCAVITATION TREATMENT OF IRRIGATION WATER Prof. DSc. Kulagina T., Prof. DSc. Kulagin V.	20
THE INFLUENCE OF PERENNIAL LEGUMES, LEGUME-FESTULOLIUM MIXTURES AND THEIR MULCH ON SOIL MINERAL NITROGEN UNDER ORGANIC CROPPING CONDITIONS Dr. Arlauskienė A., PhD student Gecaitė V.	24
MONITORING OF THE DRAINED SOILS, RUSSIAN PLAIN Prof., Dr. Agricult. Kovalev I.V., Prof., Dr. Biol. Kovaleva N.O.	28
МОДЕЛИРОВАНИЕ БИОГЕННОЙ НАГРУЗКИ НА ДУДЕРГОФСКИЕ ОЗЕРА (СЕВЕРО-ЗАПАД РОССИИ) Д. ф.–м. н. Кондратьев С., к.т.н. Шмакова М.	32
EVALUATION OF BACTERIAL ISOLATES FOR STIMULATING THE GROWTH OF YOUNG MELON (<i>CUCUMIS MELO</i> L.) PLANTS Assist. Prof. Vasileva K. PhD., Ivanova Zh. PhD-student., Assoc. Prof. Tringovska I. PhD.	36
CHANGES IN SOIL PROPERTIES DUE TO APPLICATION OF DIGESTATE Mgr. Vařinka M., Ing. Badalíková B.	39
ASSISTED PHYTOSTABILIZATION OF A HEAVY METALS CONTAMINATED SOIL USING MINERAL AMENDMENTS AND L. PERENNE Assoc. Prof. Dr. Maja Radziemska, Dr. Agnieszka Beř	42
ACTIVATED CARBON OBTAINING FROM VARIOUS RAW MATERIAL / VIA CHEMICAL ACTIVATION FOR THE PURPOSE OF ENVIRONMENTAL PURIFICATION – OVERVIEW Assist. Prof. Dr. Eng. Liliya Manoilova, Assist. Prof. Dr. Eng. Kamelia Ruskova	45
TREE-SOIL-WATER RELATIONSHIPS IN EUROPEAN BLACK ALDER FOREST - CASE STUDY Prof. Paweł Rutkowski, Phd Student Monika Konatowska, Phd.Student Eng. Tomasz S. Wajsovicz	48
MONITORING OF NATURAL WATERS USING SORPTION CARTRIDGES As. prof. Bondareva L.P., as. prof. Peregodov Yu. S., prof. Niftaliev S.I., stud. Tkach E.N., stud. Prushinskaya A.G., stud. Chesnokov A.I.	52
SURFACE WATER RESOURCES ASSESSMENT METHODOLOGIES APPLICATION IN CASE OF VIT RIVER Eng. Maya Rankova	55
THE EFFECT OF MINERAL AND LIQUID ORGANIC FERTILISERS ON SOIL MINERAL NITROGEN AND CHLOROPHYLL CONTENT IN WINTER WHEAT LEAVES PhD Stud. Danute Kvasoviene - Petraityte, Dr. Jurgita Ceseviciene, Dr. Ausra Arlauskiene, Dr. (HP) Alvyra Slepeliene	58
EVALUATION OF GARDEN PEA CULTIVARS TO SALT STRESS TOLERANCE Assoc. Prof. Grozeva S. PhD., Assoc. Prof. Kalapchieva S. PhD., Assoc. Prof. Tringovska I. PhD.	62
REDUCTION OF LOSSES FROM DROUGHT BY OPTIMIZING THE USE OF WATER RESOURCES FOR IRRIGATION OF AGRICULTURAL CROPS Assoc. Prof. PhD R. Kireva, Prof. PhD M. Mihov	65
EVAPOTRANSPIRATION WITH STRAWBERRIES GROWN IN DRIP IRRIGATION CONDITIONS Assoc. Prof. PhD R. Kireva, Prof. PhD M. Mihov	68
ИССЛЕДОВАНИЕ КАЧЕСТВА ОРОСИТЕЛЬНЫХ ВОД ОРОШАЕМЫХ МАССИВОВ УЗБЕКИСТАНА Профессор, доктор географических наук, Чембарисов Э.И.	71
THE RESEARCH OF THE RAIN INTENSITY ADAPTATION TO THE CONDITIONS OF HYDROPHYSICAL CHARACTERISTICS OF THE SOIL FOR ECOLOGICAL AND ECONOMICAL IMPROVEMENT OF THE IRRIGATIVE EQUIPMENT Iu. Melnic, A. Coronovschi, R. Ceban, A. Melnic	74
DESIGN OF IRRIGATION SYSTEMS FOR GARDENS BY ALTERNATING GREYWATER AND WELL WATER Jun. Res. Dabić B., Ass. Prof. Grabić J., Ass. Prof. Mladenović E., Jun. Res. Bubulj S.	76

MACHINES AND TECHNOLOGY & MANAGEMENT

NATURE-BASED SOLUTIONS FOR SOIL AND WATER QUALITY PROTECTION – EXPERIENCES FROM THE NORDIC-BALTIC REGION Dr. silv. Lībiete Z., Mg. chem. Bārdule A., Dr. sc. ing. Lagzdīņš A., Mg. sc. ing. Grinberga L., Dr. silv. Lazdīņš A., Mg. silv. Lupiķis A., Dr. silv. Lazdīņa D.	80
BIOBASED ADSORBENT PREPARED BY PYROLYSIS OF A RENEWABLE AGRICULTURE WASTE Assoc. Prof. Dr. Eng. Uzunov I., Assoc. Prof. Dr. Vassileva P., Assoc. Prof. Dr. Eng. Uzunova S.	84
OPPORTUNITIES FOR AGROFORESTRY IN LATVIA Mg. chem. Bardule A., Dr. silv. Lazdina D., Mg. oec. Makovskis K., Dr. silv. Bardulis A.	88
WATER PURIFICATION PRICE AND ACTUALITY OF THE PROBLEM OF WATER DEPURATION OF THE DNEIPER ACCORDING TO THE THEORY OF SOCIAL WELFARE PhD Stud. Holiachuk O.	92
MULTI-COMPONENT ADSORPTION OF HEAVY METAL IONS FROM AQUEOUS SOLUTIONS ONTO LOW COST ADSORBENT BASED ON RICE HUSKS Assoc. Prof. Dr. Paunka Vassileva, Assoc. Prof. Dr. Ivan Uzunov, Assoc. Prof. Dr. Albena Detcheva, Assoc. Prof. Dr. Snezhanka Uzunova, MSc Dimitrinka Voykova	95
GRINDING CHARACTERISTICS AND HEAT OF COMBUSTION OF SPROUTED WHEAT M.Sc. Waleed H. Hassoon PhD, Prof. M.Sc. Dariusz Dziki	99
THE IMPACT OF LONG ROTATION CYCLE FOREST MANAGEMENT ON SOIL AND WATER PROPERTIES IN HEMIBOREAL REGION Mg. env. sc. Kalvīte Z., Mg. env. sc. Kļaviņš I., Dr. silv. Lībiete Z., Mg. chem. Bārdule A.	102
CHANGE IN SOIL PROPERTIES AFTER 5 YEARS OF USING STRIP-TILL TECHNOLOGY Assoc. Prof. Iwona Jaskulska, Prof. Dariusz Jaskulski	106
ОПРЕДЕЛЯНЕ НА ПЛЪТНОСТТА НА КАКАЛАШКИ ОТ ЦАРЕВИЦА С ДОБАВЕН БИОВЪГЛЕН Assoc. Prof. Dr. Eng. Manolova S., Ass. Dr. Stojnov S., Assoc. Prof. Dr. Benkova M., Assoc. Prof. Dr. Mikova A.	109
COMPARATIVE ANALYSIS OF ENERGY INDICATORS OF GREEN ONIONS AND ONION Assoc. Prof. Dr. Eng. Manolova S., Ass. Dr. Stojnov S., Prof. Dr. Mitova I., Prof. DSc. Dinev N. Ass. Vasileva V.	113
ОСОБЕНОСТИ ПРИ МЕХАНИЗАЦИЯТА НА РАСТИТЕЛНОЗАЩИТНИТЕ МЕРОПРИЯТИЯ Иван Мортев, Елена Димитрова, Благой Еленов	117
JUSTIFICATION OF KINEMATIC PARAMETERS OF COUPLING FOR WIDE-SPAN ROW-CROP UNIT Prof. Eng. Volodymyr Bulgakov PhD., DrSc., Prof. Ladislav Nozdrovicky, Assis. prof. Eng. Vitaliy Movchan PhD., Eng. Yevhen Ihnatiev PhD.	122
SOIL AND WATER RESOURCES AS IMPORTANT OBJECTS AND PREREQUISITES FOR THE DESIGN OF AGRICULTURAL MACHINES AND THE FORMATION OF PROFESSIONAL COMPETENCIES OF AN AGRICULTURAL ENGINEER Candidate of Technical Sciences, Associate Professor Viktor Pryshliak, Dr. in Agriculture, Prof., Corresponding Member of the National Academy of Agrarian Sciences of Ukraine Vasyl Kurylo	125
TESTING OF FIVE OPTICAL DEVICES TO ASSESS LEAF MINERAL AND WATER CONTENT OF DETACHED POTATO LEAVES Assoc. Prof. Dr. Muharrem Keskin, Dr. Yunus Emre Sekerli	131
DEVELOPMENT OF A LOW-COST PROTOTYPE OPTICAL SENSOR TO PREDICT TURFGRASS LEAF WATER AND NUTRIENTS Dr. Yunus Emre Sekerli, Prof. Dr. Yurtsever Soysal, Assoc. Prof. Dr. Muharrem Keskin	132
IRRIGATION REGIME FOR LONG-FRUIT CUCUMBERS GROWN UNDER GREENHOUSE CONDITIONS Assoc. Prof. PhD R. Kireva, Prof. PhD M. Mihov	133
ASSESSMENT OF SOIL CARBON STORAGE IN SAXAUL FORESTS IN THE BUIN ZAHRA DESERT OF IRAN. Naseri H.R, PhD., Shakeri R, PhD., Yousefi Khanghah S, PhD., Pour Rezaee J, PhD.	136

SOIL AND WATER RESOURCES AS IMPORTANT OBJECTS AND PREREQUISITES FOR THE DESIGN OF AGRICULTURAL MACHINES AND THE FORMATION OF PROFESSIONAL COMPETENCIES OF AN AGRICULTURAL ENGINEER

Candidate of Technical Sciences, Associate Professor Viktor Pryshliak
 Dr. in Agriculture, Prof., Corresponding Member of the National Academy of Agrarian Sciences of Ukraine Vasyl Kurylo
 Ukraine, Vinnytsia National Agricultural University
 viktor.prishlyak@i.ua

Summary. *The scientific, technical and pedagogical bases of studying issues of soil and water protection by future specialists in agro-engineering in of higher education institutions are presented. Some concepts and categories that are used in the educational process for students to study agricultural land reclamation machinery and equipment are analyzed. Depending on the purpose, tasks, techniques of technological processes, the types of land reclamation measures are distinguished. The example of calculation of working bodies of earth-moving reclamation machines is given. According to the developed innovative studying technologies, students first study and analyze the state of agricultural production, identify the disadvantages of technological processes, the level of technical support, and then, using mathematical apparatus, methods of engineering calculations design and construct a reclamation machine. The methodological features of calculating the power balance of the earth-moving reclamation machine, which includes the power required to: isolate the material to be processed, taking into account its deformation, are theoretically described; the movement of the material being treated, that is, providing it with kinetic energy; lifting of the processed material; overcoming the friction resistance of the treated material against the surface of the working body and guide surfaces; overcoming the full resistance of the movement of the machine, taking into account the slope of the surface of the movement to the horizon; overcoming the propulsion of the propulsion; acceleration of the machine to the calculated speed of movement (overcoming the forces of inertia); drive conveyors and accessories. The developed procedure of laboratory and practical work includes the study of the methods and features of the calculation of balance capacity components of reclamation machines, taking into account such indicators as the type of soil, its density, thickness of layer, productivity, kinematics of the working body, the required lifting height, etc. The lecturer must draw up a general report on the theoretical and practical part of the laboratory and practical work in accordance with his task and protect it from the faculty of the department. The developed pedagogical technology of cross training emphasizes that soil and water resources are important objects and prerequisites for the development of agricultural machines and the formation of design competencies of agricultural engineers.*

KEYWORDS: AGROENGINEERING, TECHNOLOGICAL PROCESS, TECHNOLOGY TRAINING, METHODOLOGY, SOIL, WATER RESOURCES, DESIGN, AGRICULTURAL MACHINERY, POWER, SOIL PROTECTION.

1. Introduction

Ukraine's land and water resources are diverse. Features of their effective use in agro-industrial production, conservation and multiplication are studied by future specialists in agro-engineering during the whole period of studding: lectures, laboratory-practical classes, educational and industrial practices, course and diploma design. Land reclamation is the science of ways and methods of improving land in order to increase their fertility and create the optimal regime for the growth and development of agricultural plants [1]. One of the main reasons for the lack of development of the reclamation complex in Ukraine is the lack of highly qualified agricultural engineers. In this regard, it is necessary to carry out special pedagogical and technical research aimed at developing methodological support of the educational process, improving its quality, development of professional competencies [2] of agricultural engineers. Developed pedagogical technology should provide for the throughput of the educational process in the study of soil and water resources, their protection and conservation [3, 4].

2. Prerequisites and means for solving the problem

Modern pedagogical technologies for the preparation of future agro-engineers involve studying the problematic issues of soil and water protection. As stated in [4], students study these topical issues systematically and consistently throughout the study period. At lectures, students receive information about the general theoretical features of the use of soil and water resources in agro-industrial production, and in practical and laboratory classes they investigate the mechanical and technological properties of soils, the interaction with them of working bodies of agricultural machines.

In the project activity of students, during the implementation of course and diploma projects for the initial parameters during the design of soil-cultivation equipment take agrochemical, mechanical-technological and other characteristics of soil. Agrochemical properties of soils that students study are the content of humus, nitrogen, phosphorus, potassium, soil acidity. Physico-mechanical properties of soils, which are determined during laboratory work or used in the design activity, are the soil mass, angles of internal and external friction, particle size, maximum bearing capacity, modulus

of elasticity, humidity, etc. [5]. The purpose of laboratory and practical work is to broaden and deepen the students' knowledge of the basics of theory, calculation and design of agricultural machines, development of visual ideas on the basic theoretical provisions of the course on the interaction of working bodies of machines with soil, irrigation systems of land irrigation and more. The purpose of course work on agricultural machines is the technological development of the design of the machine or its components or the improvement of existing means of mechanization [6].

Future agricultural engineers should have a general understanding of erosion processes and prevent them from occurring. For example, soil erosion is the separation and movement of the upper most fertile soil layers from one place to another under the influence of water or wind. The process of water erosion consists of three steps: 1) separation of soil particles; 2) soil transfer – movement of soil particles from the site of erosion; 3) deposition of soil particles in a new place. Water erosion is appearing mostly when the effect of rain is exacerbated by the action of water flows: rain drops are separated by soil particles, and their flows are swept away [6].

Many scientific conferences have addressed the issue of soil and water protection. For example, at the II International Scientific Conference "Protection of Soils and Water Resources", the report was presented – «The main components of studies and research of conserving soils and water in technologies of agroengineers training» [8]. This report partially discloses the scientific and methodological bases for soil and water exploration by future specialists in agroengineering in higher education institutions. Innovative pedagogical technology of development of project activity is developed in the form of a method of a consistent cross study of the material based on the objective relationship of disciplines and provides a qualitatively higher level of formation of professional competencies of agroengineers on the basis of preservation and even multiplication of natural resources. The report of [8] states that the current issues of soil science are devoted to many works by well-known scholars, for example, P. Zaicka [9], M. Manojlović [10], R. Meissner [11] and others. A particularly important scientific and production problem is the optimization of

the nutrient and water regimes of the soil on the slopes. A number of scientific works are devoted to the features of soil preparation for sowing crops on sloping lands, optimization and management of technological processes in these conditions [1, 7, 9, 12, 13].

The role of science in the educational process is growing significantly. Classical, practically oriented, as well as the most modern developments of scientists in the form of didactic materials are covered in textbooks, manuals, methodological developments and are used in the educational process of agricultural engineering. It is worth to mention that due to the considerable scientific contribution of scientists, agroengineering pedagogical science and educational practice have great achievements. Significant contribution to the development of the theory and methods of vocational education were done by I. Bendera [14], V. Duganets [15], V. Man'ko [16] and other.

These accents of scientific problems are prerequisites for solving urgent problems of soil and water conservation in pedagogical technologies for the formation of professional competencies of future agricultural engineers in higher educational institutions.

3. Results and discussion

Soil is the basic means of agricultural production. Samples are taken for soil analysis. From the conducted analyzes it is possible to obtain information on: the structure of the soil and the shape of its solids; soil type, density, humidity, crushing coefficient, etc. To a certain extent, this helps to find the optimal technology of tillage and restoration of soil and the necessary equipment for carrying out technological operations. Type, soil structure, its porosity play a decisive role in plant development and crop productivity. With the optimal soil condition, fertilizer efficiency is high. For experienced farmers, along with laboratory chemical analyzes, visual assessment of soil condition is of great importance. In the study of the soil, it is necessary to pay attention to many indicators, including even the plow sole, the depth of its occurrence, how the residual residues in the soil were placed evenly, whether a layer of residues was created at the bottom of the plow layer.

Students know that plowing is done with the purpose of deep loosening of the soil, earning organic and mineral fertilizers, crop residues and weeds, creating conditions for improvement of the water-air and nutritional regimes of the soil and qualitative carrying out of the following field works. Thus, deep plowing is carried out 21-25 days after the last harrowing or application of herbicides. To ensure good plowing and reduce energy costs, for example, it is advisable to use reversible plows under sugar beets. In the presence of a large number of plant residues, it is better to plow the PIA-3-35 tiered plows. This layer-by-fall cultivation ensures maximum weeding and plowing of crop residues. In the unit with the plow in dry weather, especially in the formation of boulders, annular-spur rollers are used, and on wet soils and for qualitative development of the topsoil-harrows. As it rains and weeds sprout, the field is cultivated. Plowing is carried out at the speed of the unit up to 7 km/h.

High quality of educational process is achieved when students carry out research, engineering and technological calculations. Here is an example of a laboratory work to determine the hardness and coefficient of volumetric soil [17].

The purpose of this laboratory work is to consolidate and expand the knowledge of the technological properties of the soil by analyzing theory, conducting experimental studies in laboratory or field conditions, processing the data obtained and analyzing the results [18].

Devices and equipment: spring hardness tester (Fig. 1), 2 paper strips of millimeter or blank paper of size 70 x 500 mm (you can use 2 sheets of notebook paper, joined together), impact hardness tester, various soil samples to study their properties in laboratory conditions (2 variants), the device for experimental determination of angles and calculation of coefficients of external friction of the soil.




Fig. 1. – Scheme of the tip [17]

The students are then introduced to the theoretical part of the work. Here are some steps for example.

An indicator of soil resistance to bending is the average soil hardness. Soil hardness is measured with hardness gauge. When inserting a hard tip into the soil, a diagram is drawn (Fig. 2).




Fig. 2. – Diagram of soil determination by the tip [17]

There are several phases in the diagram. During the first phase (section OA), the deformation resistance increases in proportion to the depth of the tip into the ground. The second phase of AB is transitional. During this period, the cone-shaped growth from a strongly compacted soil (compacted core) is formed in front of the base of the tip. In the third phase (section of the BC), the soil is deformed by a conical outgrowth that spreads it, shifting to the sides and encountering constant resistance (ground "flowing"). The first phase is several times shorter than the third, but it is of great practical importance, since the deformation of the soil by agricultural machinery does not usually extend beyond the first section of the diagram. Only after passing the tip of the plow layer, the CD curve rises upward as a denser "plow sole" is encountered along its path.

After getting acquainted with the order of work, students perform it, draw up a report and protect [17, 18].

After studying the mechanical and technological properties of the soil, students make engineering, technological and energy calculations. As an example, we will partly consider the laboratory-practical work "Calculation of the working parameters of earth-moving reclamation machines", performed by students of specialty 208 "Agroengineering", during the study of machinery and equipment in agricultural land reclamation [1]. Purpose is to study the general methods of calculating the basic parameters of the working bodies of reclamation machines, the calculation of the balance of power; traction calculation; basics of dynamic calculation; determination of external forces and reactions acting on the machine in working order; static calculation; determination of

productivity of reclamation machines with working bodies of different types.

Consider the features of calculating the power balance of reclamation machines.

Power balance is calculated at maximum workload.

The drive power of any reclamation machine with single-engine drive N' is determined by the formula, kW[1]:

$$N' = \frac{(N_d + N_{accl} + N_l + N_{fr})}{\eta_{wb} \eta_p} + \frac{(N_m + N_{pr} + N_{acc})}{\eta_m} + \frac{N_t}{\eta_t} + \frac{N_{ad}}{\eta_{ad}} = \frac{N_{wb}}{\eta_{wb} \eta_p} + \frac{N_m}{\eta_m} + \frac{N_t}{\eta_t} + \frac{N_{ad}}{\eta_{ad}}, \quad (1)$$

where N_d – the power required to separate the workpiece, taking into account its deformation; N_{accl} – the power required to accelerate the material to be treated, that is, to provide it with kinetic energy; N_l – the power required to lift the workpiece; N_{fr} – the power required to overcome the friction resistance of the workpiece material against the surface of the working body and guide surfaces; N_m – traction power; N_{pr} – the power required to overcome the propulsion; N_{acc} – power required to accelerate the machine to the estimated speed; N_t – the power required to drive the transporting organs that move the processed material beyond the transport of it directly by the main working body; N_{ad} – total power to drive additional devices that ensure the functioning of the working body; η_{wb} – the efficiency of the working body; η_{wb} – efficiency mechanisms of drive of the working body; η_m – efficiency movement; η_t – efficiency transport body; η_{ad} – efficiency additional devices; N_{wb} – total power to drive the active working body; N_m – total power to move the machine.

Taking into account the oscillatory nature of the torque and the active forces of the engine N_e for preliminary calculation take with the factor of reserve of power $k_{res} = 1,2 \dots 1,4$ by the formula, kW [1]:

$$N_e = k_{res} N'. \quad (2)$$

According to formulas (1) and (2) the engine power of any reclamation machine with a single-motor drive can be calculated taking into account the peculiarities of its operations, the material being processed, the number and type of working and transporting bodies.

Formula (1) in its entirety is used to calculate the balance of power of machines with one-motor drive and active working bodies having the above transporting and auxiliary devices.

For machines with passive working bodies in which the bulk of the power is used to overcome traction resistance, $N_{wb} = 0$ and for machines with passive working bodies in which the bulk of the power is used to overcome traction resistance, N_m .

If the working body is combined, that is, consists of several simultaneously working active or active and passive working bodies, then the corresponding capacity is calculated for each of the working bodies and summed up.

For machines with multi-motor electric or diesel-electric drives, the required power of the individual engines is also determined by formulas (1) and (2), and after selecting the engines, the total installed power of the machine N_{in} are summed up:

$$N_{in} = k_{res} \sum N_i, \quad (3)$$

where N_i – engine power required to drive individual mechanisms, kW.

Consider common ways to determine the components of the balance of power on the example of the most common excavation machines.

The approximate capacity for digging the soil N_d (kW) (see formula (1)) determine, based on the known formula V.P. Goryachkin and the works of N.G. Dombrovsky for the total tangent component of the soil response to the working body, kN:

$$\sum R'_d = 10^3 k \sum b_i \delta_i = 10^3 k \sum S_i, \quad (4)$$

where k – specific digging resistance, MPa; b_i – layer width (m); δ_i – thickness (m) of layer; S_i – the area of the sliced layer (m²).

Refined calculation $\sum R'_d$ can be carried out by methods known from the theory of soil cutting according to the formulas A.N. Zelenina, D.I. Fedorova, Yu.A. Vetrova and others.

By multiplying both parts of formula (4) by the length of the path of the digging organ, $l = \sum l_i$, where l – the length of individual sections of the path, and dividing by the time of digging t , we get:

$$\sum R'_d \frac{l}{t} = k \sum \frac{b_i \delta_i l_i}{10^3 t}. \quad (5)$$

The left side of the formula is a unit of time, that is, power N_d (kW), and the right – the product of specific resistance to digging k for volumetric performance Π_t (m³/h):

$$N_k \cong \frac{k \Pi_t}{3,6}; \text{ and } N_d = \sum R'_d v, \quad (6)$$

where v – speed of the working body, m/s.

Formulas (6) give sufficient accuracy for technical calculations (10 ... 15%).

Specific resistance to digging k depends on many factors and is not a soil constant. If k is not defined for the respective working bodies, it is possible to temporarily use the values obtained for the excavators (Table 1). When working with soil collapse, the average values k reduced by 25 ... 40%.

Much of the reclamation machines with active working bodies are digging the soil with shavings of smaller thickness, which increase the crushing of the soil, the relative area of propagation of deformation and the volume of deformed soil in relation to the volume of shavings. Therefore, resistance to digging k (MPa) increases sharply under the hyperbolic law:

Table 1: Average values of specific resistance to digging

Group of soils	1	2	3	4
Number of strokes, C_{str}	1...4	5...8	9...15	16...34
Specific resistance to digging k , MPa	0,012...0,065	0,058...0,13	0,12...0,2	0,18...0,3

$$k = (0,11 \dots 0,12) \frac{C_{str}}{\delta^\varepsilon}, \quad (7)$$

where C_{str} – the index (number of strokes) of the densimeter characterizing the properties and condition of the soil; δ – the thickness of the sliced layer (cm); ε – an indicator of the degree depending on the type of soil for minerals $\varepsilon = 0,4$, for marsh peatlands $\varepsilon = 0,33$.

According to the experimental data, the specific soil resistance to digging [1]:

$$k = k_1 \left(\frac{\delta_1}{\delta} \right)^\varepsilon k_\psi k_b k_\alpha k_r, \quad (8)$$

where k_1 – the overall coefficient of resistance to the shavings thickness δ_1 equal to 1 cm; δ – the actual thickness of the layer (cm), k_ψ – coefficient depending on cutting angle ψ ; k_w – a factor that depends on the width of the grip b ; k_α – coefficient depending on the angle of capture α ; k_{str} – coefficient that depends on the number of strokes of the solid motor C_{str} .

Power required to accelerate the soil N_{accl} (kW), is defined as the increase in kinetic energy that characterizes the second-hand operation of soil acceleration by the formula [1]:

$$N_{accl} = \frac{mv^2}{2} - \frac{mv_{int}^2}{2} = \frac{\Pi_t \rho v_s^2}{2 \cdot 3,6 \cdot 10^6}, \quad (9)$$

where m – mass of the accelerated soil per hour, kg/h; v_s – soil

speed, depending on the type and kinematics of the working body; v – finite velocity of soil particles, $v = v_s$; v_{int} – the initial velocity of the soil particles $v_{int} = 0$, m/s; Π_t – technical productivity, m^3/h ; ρ – density of soil, kg/m^3 .

The power required to lift the soil N_l (kW), determined on the basis of lifting the volume of soil moved in one second, according to the formula [1]:

$$N_l = \frac{\Pi_t \gamma_s h_1}{3,6 \cdot 10^6}, \quad (10)$$

where h_1 – required lifting height, m. Determined for each type of working body based on the construction profile.

Power required to overcome soil friction resistance against the surface of the working body, or the guide housing N_{fr} (kW), found as a second operation on the friction surface length by the formula [1]:

$$N_{fr} = \frac{\Pi_t \gamma_s l_{fr} f_i}{3,6 \cdot 10^6}, \quad (11)$$

where l_{fr} – the length of the projection of the friction surface onto the displacement plane, m (determined based on kinematics and type of working body); f_i – coefficient of soil

friction against the corresponding friction surface.

The power required to overcome the full resistance of the machine N_m , kW:

$$N_m = \frac{F' v_p}{3,6 \cdot 10^6}, \quad (12)$$

where F' – total traction resistance, kN; v_p – operating speed of the machine, m/h.

Power consumed by the propulsion N_p (kW), calculated by the formula [1]:

$$N_p = F' (v_p - v_{act}) 3,6^{-1} \cdot 10^{-3} = F' v_p k_p 3,6^{-1} \cdot 10^{-3}, \quad (13)$$

where v_p – estimated working speed of the machine, m/h; v_{act} – actual operating speed of the machine, m/h; k_p – slip factor, %.

$$k_p = 100 \frac{(v_p - v_{act})}{v_p}. \quad (14)$$

On mineral moist soils in normal operation of the caterpillar propulsion acceptable value $k_p = 8...10\%$, on a crawler bog $k_p \leq 15\%$, wheel drive $k_p = 20...25\%$.

Power required to accelerate the machine (overcoming inertia forces) N_i (kW), are given by the formula [1]:

$$N_{acc} = F'_{res} v_p 3,6^{-1} \cdot 10^{-3} \cong x' G v_w^2 (g t_m 12,76)^{-1} \cdot 10^{-9}, \quad (15)$$

where F'_{res} – resistance from overcoming inertia forces during acceleration, N; v_p – operating speed, m/h.; x' – coefficient taking into account the inertia of the rotating masses of the transmission and the engine, $x' = 1,1...1,3$; G – machine weight, H; g – acceleration of free fall, m/s^2 ; t_{accel} – acceleration time, $t_{accel} = 3...4$ c.

Power N_{tr} and N_{ed} , required for the drive of the transporting organs and additional devices are determined by known formulas depending on the type of these organs.

For indicative calculations [1]:

$$N_{tr} = x_0 10^{-2} (N_{wb} + N_m + N_t), \quad (16)$$

where $x_0 = 5...7$.

Specific power N_{spec} , per unit of output (kW/unit) is calculated by the formulas [1]:

$$N_{spec} = N_{eng} \Pi^{-1} \text{ or } N_{spec} = N_{in} \Pi^{-1}, \quad (17)$$

where Π – hourly performance in units of measurement of hourly performance.

The procedure for performing this laboratory-practical work is given in [1]. To do this, it is first necessary to read and summarize the basic theoretical provisions and definitions. To get

acquainted in detail and to study the methodology and features of calculating the power balance of reclamation machines.

Students also do laboratory work to determine the moisture content of soils and other agricultural materials [19]. Here they learn that the humidity of various agricultural materials is determined in order to: characterize the working conditions of agricultural machines (humidity of air, soil, fertilizers, seeds, etc.); control the technological process performed by the machine (humidity of the coolant in the dryer, soil moisture in layers before and after the passage of the working body of the machine, the dynamics of humidity of agricultural material, etc.); to characterize the conditions of agricultural plant development. Humidity can be determined directly or indirectly. Direct measurements of soil moisture, seeds and some agricultural materials are carried out using special electrical appliances. This method is convenient because it does not take much time. However, often depending on the internal structure of the material and its condition, errors can occur, so such measurements should be resorted to only when high accuracy is not required.

Future agricultural engineers are also exploring agricultural irrigation machines. For example, they study the sprinklers, the algorithm for their calculation. Thus, the flow rate of the working fluid with one nozzle centrifugal type (Fig. 3) is determined by the formula:

$$Q = \frac{\alpha}{\sqrt{1 + A^2 \frac{\alpha^2}{1 - \alpha^2}}} f_c \sqrt{2gH}; \quad (18)$$

where $A = \frac{R r_i}{r_0^2}$ – design characteristics of the nozzle.




Fig. 3. – The scheme of the centrifugal nozzle. [1]

The dependence of the coefficient α from A determined according to the schedule (Fig. 4). Spray torch angle [1]:

$$tg \theta = \frac{2A\alpha}{1 + \sqrt{1 - \alpha^2}}. \quad (19)$$

The flow rate of the spray nozzle with conical deflector is determined by the formula [1]:

$$Q = \mu f_0 \sqrt{2gH}.$$

Cost ratio μ depends on the contour of the inlet edges. For sharp edges $\mu = 0,7 \pm 0,8$, for the rounded ones $\mu = 0,9$ The angle of the torch is equal to the angle of the cone 2θ .




Fig. 4. – Dependency curve α from A for centrifugal nozzle

Knowledge gained by students in lectures and laboratory-practical classes is used during course and diploma design, research work. Here are urgent issues of soil protection and water resources.

4. Conclusion

In pedagogical technologies of formation of professional competencies of future agro-engineers in higher education agrarian institutions considerable attention is paid to the problematic issues of soil and water protection. During the educational process, students systematically and consistently study the mechanical and technological properties of soils as the main means of agro-industrial production. For the initial parameters in the project activity, soil characteristics are first and foremost taken into account, and their use presupposes fertility conservation. Some concepts and categories that are used in the educational process for students to study agricultural land reclamation machinery and equipment are analyzed. Depending on the purpose, tasks, techniques of technological processes, the types of land reclamation measures are distinguished. The example of calculation of working bodies of earth-moving reclamation machines is given. The methodological features of calculating the power balance of the earth-moving reclamation machine, which includes the power required to: isolate the material to be processed, taking into account its deformation, are theoretically described; the movement of the material being treated, that is, providing it with kinetic energy; lifting of the processed material; overcoming the friction resistance of the workpiece material on the surface of the working bodies and guide surfaces; overcoming the full resistance of the movement of the machine, taking into account the slope of the surface of the movement to the horizon; overcoming the propulsion; acceleration of the machine to the calculated speed of movement, such as overcoming the forces of inertia; drive conveyors and accessories. The developed procedure of laboratory and practical work includes the study of the methods and features of the calculation of components of the balance of the capacity of reclamation machines, taking into account such indicators as the type of soil, its density, thickness of layer, productivity, kinematics of the working body, the required lifting height, etc. In general, innovative pedagogical technology of cross training was developed, aimed at the formation of professional competencies of future agricultural engineers. Their activities will be successful if the soil and water resources are used effectively as important objects and prerequisites for agricultural machinery development.

5. References

1. Machinery and equipment in agricultural land reclamation: Textbook / H.M. Kaletnik, M.G. Chausov, M.M. Bondar, V.M. Pryshliak and others. – K.: Hi-Tech Press, 2011. – 488 p.
2. Higher education standard of Ukraine of the first (bachelor) level of higher education degree – "bachelor", branch of knowledge – 20 "Agrarian sciences and food of specialty" – 208 "Agrarian engineering" // Approved and put into effect by the order of the Ministry of Education and Science of Ukraine from 05.12.2018, № 1340. – Access mode: <https://mon.gov.ua/storage/app/media/vishcha-osvita/zatverdzeni%20standarty/12/21/208-agroinzheneriya-bakalavr>.
3. Pryshliak Viktor. The main components of studies and research of conserving soils and water in technologies of agroengineers / Viktor Pryshliak // Scientific technical union of mechanical engineering INDUSTRY-4.0. – Sofia, Bulgaria: Bulgarian association of mechanization in agriculture, YEAR LXIII, ISSUE 5/2017. – 207-210, ISSN PRINT 0861-9638, ISSN WEB 2534-8450.
4. Pryshliak Viktor. Protection of soils and water resources as an important factor in forming preparation to the project activity of future agroengineers in institutions of higher education / Viktor Pryshliak // Mechanization in agriculture: International scientific journal. – Sofia, Bulgaria: Scientific-technical union of mechanical engineering "Industry-4.0" Bulgarian association of agriculture machinery, Year LXIV, Issue 4 / 2018. – 141-145, ISSN (PRINT) 0861-9638, ISSN (WEB) 2534-8450.
5. Panchenko A.N. Theory and calculation of agricultural machines: Laboratory workshop / A.N. Panchenko. – Dnepropetrovsk: Dnepropetr. state agr. univ., 2002. – 396 p.
6. Designing of agricultural machines. Tutorial / I.M. Bendera, A.V. Rud, Ya.V. Koziy et al.; edited by. I.M. Bendery, A.V. Rudy, Ya.V. Koziy. – Kamianets-Podilskyi: FOP Sisin OV, 2010. – 640 p.
7. Agriculture: textbook / M.S. Kravchenko, Yu.A. Zlobin, O.M. Tserenko; edited by M.S. Kravchenko. – K.: Libid, 2002. – 496 p.
8. Pryshliak Viktor. The main components of studies and research of conserving soils and water in technologies of agroengineers / Viktor Pryshliak // Scientific technical union of mechanical engineering INDUSTRY-4.0. – Sofia, Bulgaria: Bulgarian association of mechanization in agriculture, YEAR LXIII, ISSUE 5/2017. – 207-210, ISSN PRINT 0861-9638, ISSN WEB 2534-8450.
9. Zaika P.M. The theory of agricultural machines. T. I (Ch. 1). Machines and tools for soil cultivation. – Kharkiv: Eye, 2001. – 444.
10. Manojlovič M., Bogdanovič D., Čabilovski R, Marijanušić K. The status of thace elements in soils on organic and conventional farm in Serbia // MECHANIZATION IN AGRICULTURE: International scientific journal. – Sofia, Bulgaria: Scientific technical union of mechanical engineering Bulgarian association of mechanization in agriculture, YEAR LXII, Issue 4/2016. – 12-14, ISSN web 2534-8450.
11. Meissner Ralph, Rupp Holger, Seyfarth Manfred, Gebel Michael. Use of sophisticated lysimeter types to measure soil water balance parameters with high accuracy // MECHANIZATION IN AGRICULTURE: International scientific journal. – Sofia, Bulgaria: Scientific technical union of mechanical engineering Bulgarian association of mechanization in agriculture, YEAR LXII, Issue 4/2016. – 15-18, ISSN web 2534-8450.
12. Bondar S.M., Pryshliak V.M., Shymko L.S. Management of complex machines in manufacturing processes cultivation: monograph. – Nizhyn LLC "Publishing" Aspect-Polygraph", 2015. – 524.
13. Pryshliak Viktor. Study of physical and technological processes of planting crops on slopes of priority agricultural crops in bioethanol industry / MOTROL: Motoryzacja i energetyka

rolnictwa, An international journal on operation of farm and agri-food industry machinery. – Lublin–Rzesów: Mot. and Energ. Rol., Commission of Motorization and Energetic in Agriculture, 2013. – Vol. 15, No 5, 181-187.

14. Bendera I.M. Theory and methodology of organization of independent work of future specialists in mechanization of agriculture in higher educational institutions: diss. ... doct. ped. sciences: 13.00.04 / Bendera Ivan Mykolayovych. – K., 2008. – 579 p.

15. Duganets V.I. Theory and practice of production training of future specialists in agrarian-engineering direction: diss. ... doct. ped. sciences: 13.00.04 / Duganets Viktor Ivanovych. – Kamenets-Podilsky, 2015. – 501 p.

16. Man`ko V.M. Theoretical and methodological foundations of step-by-step training of future engineers-mechanics of agricultural production: Author's abstract dis. doct. ped. sciences: 13.00.04. – Ternopil., 2005. – 40 p.

17. Voityuk D.H. Agricultural Machine Theory: Workshop [Text]: Textbook / D.H. Voityuk, S.S. Yatsun, M.Ya. Dovzhik; edited by S.S. Yatsun. – Sumy: University Book, 2008. – 200 p.

18. Sereda L.P. Laboratory Workshop on Theoretical Course of Agricultural Machines / L.P. Sereda, V.M. Pryshliak. – Vinnytsia: OC VSAU, 2007. – 72 p.

19. Mechanical and technological properties of agricultural materials. Workshop: Textbook / D.H. Voituk, O.M. Tsarenko, S.S. Yatsun et al.; edited by S.S. Yatsun. – K.: Agrarian education, 2000. – 93 p.